

MATERIAL SAFETY DATA SHEET



KEIM Innotop

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: KEIM Innotop

CHEMICAL FAMILY: Sol-silicate paint

PRODUCT USE: Sol-silicate paint for interior use.

MANUFACTURER:

KEIM Mineral Coatings of America, Inc.
10615 Texland Boulevard, #600
Charlotte, NC 28273
Phone: 1 704-588-4811
Emergency Phone: only in US and Canada
1 800 535 5053 (INFOTRAC)

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS: (Also see section 11)

EMERGENCY OVERVIEW:

Not expected to cause any harmful effects when used as directed.

ROUTES OF ENTRY: Skin and eye contact and inhalation.

Appearance: Pasty material, odorless.

CARCINOGENICITY:

NTP: No, IARC: No, OSHA: No

Although this material is not considered hazardous by the OSHA Hazard Communication Standard. (29CFR1910.1200) proper personal hygiene practices are recommended in the workplace.

HMIS:

Health: 1

Flammability: 0

Reactivity: 0

MATERIAL SAFETY DATA SHEET

KEIM Innotop



3. COMPOSITION/ INFORMATION ON INGREDIENTS

Non-hazardous ingredients under 29 CFR 1910.1200

4. FIRST AID MEASURES:

GENERAL: In all cases of doubt, or when symptoms persist, seek medical attention and bring this safety data sheet.

SKIN: Immediately remove all contaminated clothing. Wash away with soap and water and rinse. DO NOT use solvents or thinners. If skin irritation continues, consult a doctor.

EYES: Remove contact lenses, keep eyelids open. Flush for several minutes under running water. Then consult a doctor.

INGESTION: Rinse mouth and throat well with water. Do not induce vomiting. Contact a doctor immediately.

INHALATION: Supply fresh air. Consult a doctor in case of complaints.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

The product itself does not burn. Coordinate fire-fighting measures to the fire surroundings.

SPECIAL FIRE FIGHTING PROCEDURES: Exposure to smoke and dust may cause a health hazard. Oxides of carbon (CO_x) and silicon dioxide (SiO₂) may be released. Use self contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Danger of slipping on leaked/spilled product. Provide for adequate ventilation. Avoid contact with skin and eyes. Absorb with liquid binding material (sand, diatomaceous earth, acid binders, universal binders, sawdust) and place in container for disposal according to local regulations (see Section 13). No dangerous substances are expected to be released.

MATERIAL SAFETY DATA SHEET**KEIM Innotop****7. HANDLING AND STORAGE**

HANDLING: Open and handle container with care. Keep containers tightly sealed. Observe the standard safety precautions for handling chemicals. Avoid contact with skin and eyes.

STORAGE: Always store in original containers and tightly closed in a cool, dry and well ventilated area. Keep container sealed when not in use. Do not store together with acids. Protect from frost. Protect from heat and direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**EXPOSURE LIMITS:**

This product does not contain any relevant quantities of materials with critical values that must be monitored in the workplace.

Note: Exposure risk present only by inhalation of dust or mist.

Component	CAS#	Exposure Limits
Mica*	12001-26-2	10* 0.8**(R) WEL *total inhalable ** respirable

ENGINEERING CONTROLS: Ensure that the local exhaust ventilation maintains the concentrations below the occupational exposure limits.

RESPIRATORY PROTECTION: Wear appropriate NIOSH approved respirators when aerosol or mist is formed or whenever workplace conditions warrant respirator use.

SKIN PROTECTION: Wear proper protective clothing and suitable protective gloves: nitrile impregnated cotton gloves or butyl rubber gloves. Check suitability recommendations by equipment manufacturers especially towards chemical breakthrough resistance.

EYE PROTECTION: Eye protection suitable for working with liquids.

9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Value
Form	pasty
Color	Varies according to color

MATERIAL SAFETY DATA SHEET



KEIM Innotop

Odor	odorless
Flashpoint	Not applicable
Melting point	Not determined
Boiling point	~100°C (212°F) (1013 hPa)
Self-igniting	Not self igniting
Danger of explosion	Not an explosion hazard
Vapor pressure at 20°C (68°F)	23 hPA
Density at 20°C (68°F)	1.4* g/cm ³
Solubility in Water	miscible
pH at 20°C (68°F)	11*
Viscosity: Dynamic at 20°C (68°F)	1800-1900* mPas

* The values are for freshly produced material and may change with time

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under recommended storage and handling conditions (See Section 7).

HAZARDOUS DECOMPOSITION PRODUCTS: No decomposition if used according to specifications. In case of fire, the following can be released: oxides of carbon (CO_x) and silicon dioxide (SiO₂).

POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: No dangerous reactions are known.

11. TOXICOLOGICAL INFORMATION

Although ACGIH and OSHA exposure limits are established for certain ingredients (see section 8), this product is sold as a paste and, when used as intended, does not generate dust. Thus the product as such does not pose a hazard resulting from respiration of dust or particulates.

Product is alkaline.

Skin irritation: Frequent persistent contact with the skin may cause skin irritation,

Eye irritation: In case of longer exposure, irritating effect is possible.

Ingestion: Irritant effect is possible.

Sensitization: No sensitizing effects are known.

MATERIAL SAFETY DATA SHEET



KEIM Innotop

12. ECOLOGICAL INFORMATION

There are no eco-toxicological assessments.

Avoid contamination of ground water or waterways. Do not discharge into surface waters or drains. Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge. The release of large volumes into drains or the aquatic environment may lead to increased pH values. A high pH value harms aquatic organisms.

AOX: This product has no influence on the AOX in waste water.
This product contains TiO₂.

13. DISPOSAL CONSIDERATIONS

Contaminated packaging must be emptied of all residues and following appropriate cleaning, may be sent to a recycling plant. Unclean packages must be disposed of in accordance with Federal, State or Local regulations.

14. TRANSPORT INFORMATION

DOT SHIPPING NAME: Not regulated.

15. REGULATORY INFORMATION

All components of this product are on the TSCA Inventory.

SARA Title III:

This product contains no toxic chemicals which are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

Note: Entries under this section cover only those regulations typically addressed in the MSDS generating process, such as, TSCA, and EPCRA/SARA Title III.

16. OTHER INFORMATION

HAZCOM LABEL: No warning label required

This MSDS conforms to the American National Standard, ANSI Z400.1-2004.
To the best of our knowledge, the information contained in this MSDS is accurate.

MATERIAL SAFETY DATA SHEET



KEIM Innotop

It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use of, or reliance on this information, nor do we guarantee its accuracy or completeness.

Version 1.0 (US):

January 18, 2011

KEIM Innotop_USmsds.doc