



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date: 5/14/2025 Revision date: 5/14/2025 Supersedes: 8/24/2021 Version: 14.0

SDS No: 0503-0103_US

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : KEIM Interior Mineral Silicate White Primer
(KEIM GW-PRIMER)

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Silicate-based primer for interior use
Restrictions on use : All other uses are not recommended

1.4. Supplier's details

KEIM MINERAL COATINGS OF AMERICA, INC.

3935 Perimeter West Drive, Suite 100

Charlotte, North Carolina 28214

USA

T +1 704 588 4811

Toll Free: +1 866 906 5346 - F +1 704 588 4991

info@keim.com - www.keim.com

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

1.5. Emergency phone number

Emergency number : Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 91761: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. Label elements

GHS US labeling

No labeling applicable

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

2.4. Hazards not otherwise classified

Other hazards not contributing to the classification : Alkaline product. Avoid contact with skin and eyes.

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical characterization : Aqueous priming on the basis of potassium silicate and a copolymer synthetic resin dispersion
This product contains <1 % respirable crystalline quartz.
Route of exposure: Inhalation/contraction not given.
Alveolar particles (diameter $\leq 10 \mu\text{m}$) bound in the paint matrix.

Name	Product identifier	%	GHS US classification
Titanium dioxide	CAS-No.: 13463-67-7	10 - 25	Carc. 2, H351
Silicic acid, potassium salt	CAS-No.: 1312-76-1	≤ 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Silicic acid, potassium salt	CAS-No.: 1312-76-1	($40 \leq C \leq 100$) Eye Irrit. 2; H319 ($40 \leq C \leq 100$) Skin Irrit. 2; H315 ($40 \leq C \leq 100$) STOT SE 3; H335

Comments : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\leq 10 \mu\text{m}$.

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : No specific measures are necessary.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash off immediately with soap and plenty of water. Do not use solvents or thinners. Get medical advice if skin irritation persists.



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
First-aid measures after ingestion	: Rinse out mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms/effects, acute and delayed

No additional information available

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Product itself does not burn. Fire-extinguishing activities according to surrounding.
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO ₂). acrylic monomers.
--	---

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Contain the extinguishing fluids by bunding. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid contact with skin, eyes and clothing. Respirator must be worn if exposed to dust. Spills of this product present a serious slipping hazard. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
------------------	---

For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Ensure adequate air ventilation.

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions	: Avoid release to the environment. Do not allow to enter drains or water courses.
---------------------------	--



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

6.2. Methods and materials for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up liquid spill into absorbent material. Clean contaminated surface thoroughly.
Other information	: Take up liquid spill into absorbent material, e.g.: sand, saw dust. Shovel into suitable and closed container for disposal. Dispose of materials or solid residues at an authorized site.

Refer to protective measures listed in Sections 7 and 8, For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep the container tightly closed.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep only in original container.
Storage area	: Keep out of frost. Store away from heat. Keep out of direct sunlight.
Incompatible materials	: Acids.
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs.
Specific end uses	: See Heading 1.
Packaging materials	: Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH OEL TWA	0.2 mg/m ³ (Nanoscale particles. R - Repirable particulate matter) 2.5 mg/m ³ (Finescale particles. R - Repirable particulate matter)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2025



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

Titanium dioxide (13463-67-7)	
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL TWA	15 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wash hands immediately after handling the product. Do not eat, drink or smoke in areas where product is used.

Hand protection:

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration
protective gloves	butyl rubber	6 (> 480 minutes)	0,7	
protective gloves	Nitrile impregnated cotton gloves	6 (> 480 minutes)	0,5	
protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	

Eye protection:

Protective goggles (EN 166)

Skin and body protection:

Protection clothes

Respiratory protection:

Breathing apparatus in the event of aerosol or mist formation

Device	Filter type	Condition
Breathing equipment	Filter P (white)	

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

Appearance	: Pasty.
Color	: white
Odor	: Soft
Odor threshold	: No data available
pH	: ≈ 10.4 The values are for freshly produced material and may change with the time
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: No data available.
Vapor pressure	: ≈ 23 hPa
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: $1.4 - 1.6 \text{ g/cm}^3$ The values are for freshly produced material and may change with the time
Solubility	: Miscible with water.
Log Pow	: No data available
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: $1700 - 2000 \text{ mPa}\cdot\text{s}$ The values are for freshly produced material and may change with the time
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: ≈ 10.4 The values are for freshly produced material and may change with the time
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: ≈ 10.4 The values are for freshly produced material and may change with the time
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

Titanium dioxide (13463-67-7)

IARC group	2B - Possibly carcinogenic to humans
------------	--------------------------------------

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

12.5. Other adverse effects

Ozone	: Not classified (Based on available data, the classification criteria are not met)
Fluorinated greenhouse gases	: No
Other information	: Avoid release to the environment. No ecotoxicological data about this product are known. Product does not contain any organic bound halogens which could lead to AOX-values.

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Must not be disposed together with household garbage. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not discharge into drains.
Product/Packaging disposal recommendations	: Packaging that is not properly emptied must be disposed of as the unused product.
Additional information	: Clean using water and a detergent.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. State regulations



WARNING:

This product can expose you to Titanium dioxide (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 5/14/2025

Issue date : 5/14/2025

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-phrases	
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer.

Abbreviations and acronyms	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

Abbreviations and acronyms	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
N.O.S.	Not Otherwise Specified
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organization for Economic Co-operation and Development



KEIM Interior Mineral Silicate White Primer (KEIM GW-PRIMER)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0103_US

Abbreviations and acronyms	
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
UFI	Unique Formula Identifier
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
ADG	Transport of Australian Dangerous Goods
DOT	Department of Transport
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
TDG	Transportation of Dangerous Goods

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.