

Safety Data Sheet

according to 29 CFR $\$ 1910.1200, Hazard Communication Standard (HCS) Issue date: 5/14/2025 Version: 1.0

SDS No: 0503-0421_US

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture

Product name : KEIM LIGNOSIL-VERANO

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Silicate greying glaze for wooden building components outsides

Restrictions on use : All other uses are not recommended

1.4. Supplier's details

KEIM MINERAL COATINGS OF AMERICA, INC.

3935 Perimeter West Drive, Suite 100 Charlotte, North Carolina 28214

USA

T +1 704 588 4811

Toll Free: +1 866 906 5346 - F +1 704 588 4991

info@keim.com - www.keim.com

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

1.5. Emergency phone number

Emergency number : Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 91761: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. Label elements

GHS US labeling

No labeling applicable

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

Other hazards not contributing to the classification : Alkaline product. Avoid contact with skin and eyes.

5/14/2025 (Issue date) US - en 1/11



Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421 US

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical characterization

: Liquid solution from silicic acid potassium salt, silica sol, fillers and organic additives

Route of exposure: Inhalation/contraction not given.

Alveolar particles (diameter ≤ 10 µm) bound in the paint matrix.

Name	Product identifier	%	GHS US classification
Titanium dioxide	CAS-No.: 13463-67-7	< 5	Carc. 2, H351
Silicic acid, potassium salt	CAS-No.: 1312-76-1	≤ 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Silicic acid, potassium salt		(40 ≤ C ≤ 100) Eye Irrit. 2; H319 (40 ≤ C ≤ 100) Skin Irrit. 2; H315 (40 ≤ C ≤ 100) STOT SE 3; H335	

Comments

: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 μm.

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : No specific measures are necessary.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash off immediately with soap and plenty of water. Do not use solvents or thinners. Get

medical advice if skin irritation persists.

First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

First-aid measures after ingestion : Rinse out mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms/effects, acute and delayed

No additional information available



Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421 US

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Product itself does not burn. Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). acrylic monomers. Silicon dioxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection. Contain the extinguishing fluids by bunding. Do not allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

Other information : Fire residues and contaminated firefighting water must be disposed of in accordance with the

local regulations.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin, eyes and clothing. Respirator must be worn if exposed to dust. Spills of

this product present a serious slipping hazard. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Ensure adequate air ventilation.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions : Avoid release to the environment. Do not allow to enter drains or water courses.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Clean contaminated surface thoroughly.

Other information : Take up liquid spill into absorbent material, e.g.: sand, saw dust. Shovel into suitable and closed

container for disposal. Dispose of materials or solid residues at an authorized site.



Safety Data Sheet

according to 29 CFR \S 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421_US

Refer to protective measures listed in Sections 7 and 8,For further information refer to section 8: "Exposure controls/personal protection",For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep the

container tightly closed.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep only in original container.

Storage area : Keep out of frost. Store away from heat. Keep out of direct sunlight.

Incompatible materials : Acids

Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

Specific end uses : See Heading 1.

Packaging materials : Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Titanium dioxide (13463-67-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Titanium dioxide	
ACGIH OEL TWA	0.2 mg/m³ (Nanoscale particles. R - Repirable particulate matter) 2.5 mg/m³ (Finescale particles. R - Repirable particulate matter)	
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
Regulatory reference	ACGIH 2025	
USA - OSHA - Occupational Exposure Limits		
Local name	Titanium dioxide (Total dust)	
OSHA PEL TWA	15 mg/m³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.



Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421 US

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wash hands immediately after handling the product. Do not eat, drink or smoke in areas where product is used.

Hand protection:

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Туре	Material	Permeation	Thickness (mm)	Penetration
protective gloves	Nitrile impregnated cotton	6 (> 480 minutes)	0,5	
	gloves			

Eye protection:

Protective goggles (EN 166)

Skin and body protection:

Protection clothes

Respiratory protection:

Breathing apparatus in the event of aerosol or mist formation

Device	Filter type	Condition
Breathing equipment	Type AP	

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid

Color : According to product specification

Odor : odorless

Odor threshold : No data available

pH : \approx 11 The values are for freshly produced material and may change with the time

Melting point: No data availableFreezing point: No data availableBoiling point: No data availableFlash point: No data availableFlammability (solid, gas): No data availableVapor pressure: ≈ 23 hPa

Relative vapor density at 20°C : No data available Relative density : No data available

Density : 1.1 – 1.3 g/cm³ The values are for freshly produced material and may change with the time

Solubility : Miscible with water.
Log Pow : No data available
Auto-ignition temperature : Not self-igniting
Decomposition temperature : No data available
Viscosity, kinematic : No data available



Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421 US

Viscosity, dynamic : 400 – 700 mPa·s The values are for freshly produced material and may change with the time

Explosion limits : No data available
Explosive properties : Product is not explosive.
Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

pH: ≈ 11 The values are for freshly produced material and may change with the time

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

pH: ≈ 11 The values are for freshly produced material and may change with the time

Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)



Safety Data Sheet

according to 29 CFR \S 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421_US

Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short–term

(acute)

Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

Fluorinated greenhouse gases : No

Other information : Avoid release to the environment. No ecotoxicological data about this product are known.

Product does not contain any organic bound halogens which could lead to AOX-values.

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Must not be disposed together with household garbage. Dispose of contents/container in

accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Do not discharge into drains.

Product/Packaging disposal recommendations : Packaging that is not properly emptied must be disposed of as the unused product.

Additional information : Clean using water and a detergent.

5/14/2025 (Issue date) US - en 7/11



Safety Data Sheet

according to 29 CFR \S 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421_US

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA		
14.1. UN number	4.1. UN number			
Not regulated for transport				
14.2. Proper Shipping Name				
Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated		
14.4. Packing group				
Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated		
No supplementary information available				

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available



Safety Data Sheet

according to 29 CFR \S 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421_US

15.3. State regulations



This product can expose you to Titanium dioxide (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 5/14/2025

Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-phrases	
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer.

Abbreviations and acronyms		
ACGIH	American Conference of Government Industrial Hygienists	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
OEL	Occupational Exposure Limit	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
COD	Chemical oxygen demand (COD)	
CSA	Chemical safety assessment	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	



Safety Data Sheet

according to 29 CFR \S 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421_US

Abbreviations and acronyms		
EC-No.	European Community number	
EC50	Median effective concentration	
ED	Endocrine disruptor	
EN	European Standard	
EWC	European waste catalogue	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
Log Kow	Partition coefficient n-octanol/water (Log Kow)	
Log Pow	Partition coefficient n-octanol/water (Log Pow)	
MAK	maximum workplace concentration	
N.O.S.	Not Otherwise Specified	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organization for Economic Co-operation and Development	
OSHA	Occupational Safety & Health Administration	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
PPE	Personal protection equipment	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TF	Technical function	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
TWA	Time Weighted Average	
UFI	Unique Formula Identifier	
VOC	Volatile Organic Compounds	



Safety Data Sheet

according to 29 CFR \S 1910.1200, Hazard Communication Standard (HCS) SDS No: 0503-0421_US

Abbreviations and acronyms		
vPvB	Very Persistent and Very Bioaccumulative	
ADG	Transport of Australian Dangerous Goods	
DOT	Department of Transport	
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals	
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk	
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
TDG	Transportation of Dangerous Goods	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.