



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date: 5/21/2025 Revision date: 5/21/2025 Supersedes: 8/23/2021 Version: 2.0

SDS No: 0503-0411_US

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : KEIM ROMANIT-KSP Pure Lime Plaster/Spackle
(KEIM ROMANIT-KSP)

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Lime Filler
Dry mortar to be mixed with water and then used as a fine putty compound indoors
Restrictions on use : All other uses are not recommended

1.4. Supplier's details

KEIM MINERAL COATINGS OF AMERICA, INC.

3935 Perimeter West Drive, Suite 100

Charlotte, North Carolina 28214

USA

T +1 704 588 4811

Toll Free: +1 866 906 5346 - F +1 704 588 4991

info@keim.com - www.keim.com

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

1.5. Emergency phone number

Emergency number : Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 91761: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H315 - Causes skin irritation
H318 - Causes serious eye damage
H335 - May cause respiratory irritation

Precautionary statements (GHS US)

: P261 - Avoid breathing dust.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves, protective clothing, eye protection.
P302+P352 - If on skin: Wash with plenty of soap and water.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 - If skin irritation occurs: Get medical advice or attention.
P315 - Get immediate medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

Other hazards not contributing to the classification : This product contains cement. Cement produces an alkaline reaction with moisture or water.
Avoid contact with eyes and prolonged skin contact.

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical characterization : Portland-cement, calcium dihydroxide, aggregates and additives

Name	Product identifier	%	GHS US classification
Calcium dihydroxide	CAS-No.: 1305-62-0	10 - < 20	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

Name	Product identifier	%	GHS US classification
Portland cement	CAS-No.: 65997-15-1	3 - ≤ 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: Show this safety data sheet to the doctor in attendance.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash off immediately with soap and plenty of water. Do not use solvents or thinners. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.
First-aid measures after ingestion	: Rinse out mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Product itself does not burn. Fire-extinguishing activities according to surrounding.
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Contain the extinguishing fluids by bunding. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Forms slippery surfaces with water. Avoid contact with skin, eyes and clothing. Notify authorities if product enters sewers or public waters.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid breathing dust. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.

Environmental precautions : Avoid release to the environment. Do not allow to enter drains or water courses.

6.2. Methods and materials for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up : Mechanically recover the product. Avoid dust formation.
Other information : Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Dispose of materials or solid residues at an authorized site.

Refer to protective measures listed in Sections 7 and 8, For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep the container tightly closed. Avoid dust formation. Provide appropriate exhaust ventilation at places of dust forming. Use only outdoors or in a well-ventilated area. Avoid breathing dust. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Avoid dust formation. Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Information on mixed storage : Do not store with acids. Protect from moisture. Keep away from food, drink and animal feeding stuffs.
Heat-ignition : Keep away from heat and direct sunlight.
Specific end uses : See Heading 1.
Packaging materials : Store always product in container of same material as original container.



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Portland cement (65997-15-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Portland cement
ACGIH OEL TWA	1 mg/m ³ (E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Pulm func; resp symptoms; asthma. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Portland cement
OSHA PEL TWA	15 mg/m ³ (Total dust)
	5 mg/m ³ (Respirable fraction)
	50 mppcf (Silicates (less than 1% crystalline silica))
Remark (OSHA)	Table Z-3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1 and OSHA Annotated Table Z-3 Mineral Dusts
Calcium dihydroxide (1305-62-0)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Calcium hydroxide
ACGIH OEL TWA	5 mg/m ³
Remark (ACGIH)	TLV® Basis: Eye, URT & Skin irr
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Calcium hydroxide
OSHA PEL TWA	15 mg/m ³ (Total dust)
	5 mg/m ³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls	: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wash hands immediately after handling the product. Do not eat, drink or smoke in areas where product is used.

Hand protection:

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration
protective gloves	Nitrile impregnated cotton gloves	6 (> 480 minutes)	0,5	

Eye protection:

In case of dust production: protective goggles

Skin and body protection:

Long sleeved protective clothing (DIN EN ISO 6530)

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition
Breathing equipment	(FFP2)	Dust protection

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: white
Odor	: odorless
Odor threshold	: No data available
pH	: 11.5 – 13.5 with water mixed The values are for freshly produced material and may change with the time
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: No data available.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Slightly soluble. Miscible with water. Water: < 2 g/l (Ca(OH) ₂)



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

Log Pow	: No data available
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Explosion limits	: Not applicable
Explosive properties	: Product is not explosive.
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

Bulk density : 950 – 1050 kg/m³ The values are for freshly produced material and may change with the time

SECTION 10 Stability and reactivity

10.1. Reactivity

Reacts alkaline with water and become solid.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Calcium dihydroxide (1305-62-0)	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)
LD50 dermal rabbit	> 2500 mg/kg (OECD 402 method)



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

Skin corrosion/irritation	: Causes skin irritation. pH: 11.5 – 13.5 with water mixed The values are for freshly produced material and may change with the time
Serious eye damage/irritation	: Causes serious eye damage. pH: 11.5 – 13.5 with water mixed The values are for freshly produced material and may change with the time
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met) This product contains white cement. By using white Portland cement, the content of sensitizing chromium (VI) is below 0.0002% in the cement content of the usable product. Therefore, there is no risk of sensitization by chromate.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone	: Not classified (Based on available data, the classification criteria are not met)
Fluorinated greenhouse gases	: No



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

Other information : Avoid release to the environment. No ecotoxicological data about this product are known.
Product does not contain any organic bound halogens which could lead to AOX-values.

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Must not be disposed together with household garbage. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Do not discharge into drains.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations. Packaging that is not properly emptied must be disposed of as the unused product.
Additional information : Clean using water and a detergent.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

IMDG

Not regulated



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date

: 5/21/2025

Issue date

: 5/21/2025

Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-phrases	
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

Abbreviations and acronyms	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit
ATE	Acute Toxicity Estimate



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

Abbreviations and acronyms	
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
N.O.S.	Not Otherwise Specified
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organization for Economic Co-operation and Development
OSHA	Occupational Safety & Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration



KEIM ROMANIT-KSP Pure Lime Plaster/Spackle (KEIM ROMANIT-KSP)

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
SDS No: 0503-0411_US

Abbreviations and acronyms	
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
UFI	Unique Formula Identifier
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
ADG	Transport of Australian Dangerous Goods
DOT	Department of Transport
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
TDG	Transportation of Dangerous Goods

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.